

PHP Version 5.4.16

| | |
|--|---|
| System | Linux localhost.localdomain 3.10.0-229.4.2.el7.x86_64 #1 SMP Wed May 13 10:06:09 UTC 2015 x86_64 |
| Build Date | Oct 31 2014 13:00:30 |
| Server API | Apache 2.0 Handler |
| Virtual Directory Support | disabled |
| Configuration File (php.ini) Path | /etc |
| Loaded Configuration File | /etc/php.ini |
| Scan this dir for additional .ini files | /etc/php.d |
| Additional .ini files parsed | /etc/php.d/curl.ini, /etc/php.d/dom.ini, /etc/php.d/fileinfo.ini, /etc/php.d/gd.ini, /etc/php.d/json.ini, /etc/php.d/mbstring.ini, /etc/php.d/memcache.ini, /etc/php.d/mysql.ini, /etc/php.d/mysqli.ini, /etc/php.d/pdo.ini, /etc/php.d/pdo_mysql.ini, /etc/php.d/pdo_sqlite.ini, /etc/php.d/phar.ini, /etc/php.d/posix.ini, /etc/php.d/sqlite3.ini, /etc/php.d/sysvmsg.ini, /etc/php.d/sysvsem.ini, /etc/php.d/sysvshm.ini, /etc/php.d/wddx.ini, /etc/php.d/xcache.ini, /etc/php.d/xmlreader.ini, /etc/php.d/xmlwriter.ini, /etc/php.d/xsl.ini, /etc/php.d/zip.ini |
| PHP API | 20100412 |
| PHP Extension | 20100525 |
| Zend Extension | 220100525 |
| Zend Extension Build | API220100525,NTS |
| PHP Extension Build | API20100525,NTS |
| Debug Build | no |
| Thread Safety | disabled |
| Zend Signal Handling | disabled |
| Zend Memory Manager | enabled |
| Zend Multibyte Support | provided by mbstring |
| IPv6 Support | enabled |
| DTrace Support | disabled |
| Registered PHP Streams | https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip |
| Registered Stream Socket Transports | tcp, udp, unix, udg, ssl, sslv3, sslv2, tls |
| Registered Stream Filters | zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk |

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.4.0, Copyright (c) 1998-2013 Zend Technologies
 with XCache v3.2.0, Copyright (c) 2005-2014, by mOo
 with XCache Cacher v3.2.0, Copyright (c) 2005-2014, by mOo

**PHP Credits**

Configuration

apache2handler

| | |
|-----------------------------|--|
| Apache Version | Apache/2.4.6 (CentOS) PHP/5.4.16 |
| Apache API Version | 20120211 |
| Server Administrator | root@localhost |
| Hostname:Port | kspn-grom.ru:0 |
| User/Group | apache(48)/48 |
| Max Requests | Per Child: 0 - Keep Alive: on - Max Per Connection: 100 |
| Timeouts | Connection: 60 - Keep-Alive: 5 |
| Virtual Server | Yes |
| Server Root | /etc/httpd |
| Loaded Modules | core mod_so http_core mod_access_compat mod_actions mod_alias mod_allowmethods mod_auth_basic mod_auth_digest mod_authn_anon mod_authn_core mod_authn_dbd mod_authn_dbm mod_authn_file mod_authn_socache mod_authz_core mod_authz_dbd mod_authz_dbm mod_authz_groupfile mod_authz_host mod_authz_owner mod_authz_user mod_autoindex mod_cache mod_cache_disk mod_data mod_dbd mod_deflate mod_dir mod_dumpio mod_echo mod_env mod_expires mod_ext_filter mod_ext_filter mod_headers mod_include mod_info mod_log_config mod_logio mod_mime_magic mod_mime mod_negotiation mod_remoteip mod_reqtimeout mod_rewrite mod_setenvif mod_slotmem_plain mod_slotmem_shm mod_socache_dbm mod_socache_memcache mod_socache_shmcb mod_status mod_substitute mod_suexec mod_unique_id mod_unixd mod_userdir mod_version mod_vhost_alias mod_dav mod_dav_fs mod_dav_lock mod_lua prefork mod_proxy mod_lbmethod_bybusyness mod_lbmethod_byrequests mod_lbmethod_bytraffic mod_lbmethod_heartbeat mod_proxy_ajp mod_proxy_balancer mod_proxy_connect mod_proxy_express mod_proxy_fcgi mod_proxy_fdpass mod_proxy_ftp mod_proxy_http mod_proxy_scgi mod_systemd mod_cgi mod_php5 |

| Directive | Local Value | Master Value |
|----------------------|-------------|--------------|
| engine | 1 | 1 |
| last_modified | 0 | 0 |
| xbithack | 0 | 0 |

Apache Environment

| Variable | Value |
|-----------------------------|---|
| UNIQUE_ID | VWQPZVXHpi8L76adAFdr4wAAAAc |
| HTTP_HOST | kspn-grom.ru |
| HTTP_USER_AGENT | Mozilla/5.0 (Windows NT 6.1; WOW64; rv:38.0) Gecko/20100101 Firefox/38.0 |
| HTTP_ACCEPT | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 |
| HTTP_ACCEPT_LANGUAGE | ru-RU,ru;q=0.8,en-US;q=0.5,en;q=0.3 |
| HTTP_ACCEPT_ENCODING | gzip, deflate |
| HTTP_COOKIE | bx-attr-hidden=1; SLnewses=1; skin=alt; 1; WPTLNG=1; PHPSESSID=m5u86hn6i68s2lbullvv15i7p6; memberSession=mQLs6QzPsPr%2Bx6b5ALFCeHU%3DygfxUF9i; memberID=1; memberPassword=c027ba2c60e04e27a0d13b18e80f06b2ffb8307b; lang=en |
| HTTP_CONNECTION | keep-alive |
| PATH | /usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin |
| SERVER_SIGNATURE | <i>no value</i> |
| SERVER_SOFTWARE | Apache/2.4.6 (CentOS) PHP/5.4.16 |

| | |
|-----------------------|------------------------|
| SERVER_NAME | kspn-grom.ru |
| SERVER_ADDR | 192.168.151.4 |
| SERVER_PORT | 80 |
| REMOTE_ADDR | 37.192.201.162 |
| DOCUMENT_ROOT | /var/www/html |
| REQUEST_SCHEME | http |
| CONTEXT_PREFIX | no value |
| CONTEXT_DOCUMENT_ROOT | /var/www/html |
| SERVER_ADMIN | root@localhost |
| SCRIPT_FILENAME | /var/www/html/info.php |
| REMOTE_PORT | 23776 |
| GATEWAY_INTERFACE | CGI/1.1 |
| SERVER_PROTOCOL | HTTP/1.1 |
| REQUEST_METHOD | GET |
| QUERY_STRING | no value |
| REQUEST_URI | /info.php |
| SCRIPT_NAME | /info.php |

HTTP Headers Information

| HTTP Request Headers | |
|-----------------------|--|
| HTTP Request | GET /info.php HTTP/1.1 |
| Host | kspn-grom.ru |
| User-Agent | Mozilla/5.0 (Windows NT 6.1; WOW64; rv:38.0) Gecko/20100101 Firefox/38.0 |
| Accept | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 |
| Accept-Language | ru-RU,ru;q=0.8,en-US;q=0.5,en;q=0.3 |
| Accept-Encoding | gzip, deflate |
| Cookie | bx-attr-hidden=1; SLnewses=1; skin=alt; 1; WPTLNG=1; PHPSESSID=m5u86hn6i68s2lbullvv15i7p6; memberSession=mQLs6QzPsPr%2Bx6b5ALFCeHU%3DygyxfUF9i; memberID=1; memberPassword=c027ba2c60e04e27a0d13b18e80f06b2ffb8307b; lang=en |
| Connection | keep-alive |
| HTTP Response Headers | |
| X-Powered-By | PHP/5.4.16 |

bz2

| | |
|------------------------|----------------------------------|
| BZip2 Support | Enabled |
| Stream Wrapper support | compress.bzip2:// |
| Stream Filter support | bzip2.decompress, bzip2.compress |
| BZip2 Version | 1.0.6, 6-Sept-2010 |

calendar

| | |
|------------------|---------|
| Calendar support | enabled |
|------------------|---------|

Core

| | |
|-------------|--------|
| PHP Version | 5.4.16 |
|-------------|--------|

| Directive | Local Value | Master Value |
|-------------------------------|---------------------------------|---------------------------------|
| allow_url_fopen | On | On |
| allow_url_include | Off | Off |
| always_populate_raw_post_data | Off | Off |
| arg_separator.input | & | & |
| arg_separator.output | & | & |
| asp_tags | Off | Off |
| auto_append_file | <i>no value</i> | <i>no value</i> |
| auto_globals_jit | On | On |
| auto_prepend_file | <i>no value</i> | <i>no value</i> |
| browscap | <i>no value</i> | <i>no value</i> |
| default_charset | <i>no value</i> | <i>no value</i> |
| default_mimetype | text/html | text/html |
| disable_classes | <i>no value</i> | <i>no value</i> |
| disable_functions | <i>no value</i> | <i>no value</i> |
| display_errors | Off | Off |
| display_startup_errors | Off | Off |
| doc_root | <i>no value</i> | <i>no value</i> |
| docref_ext | <i>no value</i> | <i>no value</i> |
| docref_root | <i>no value</i> | <i>no value</i> |
| enable_dl | Off | Off |
| enable_post_data_reading | On | On |
| error_append_string | <i>no value</i> | <i>no value</i> |
| error_log | <i>no value</i> | <i>no value</i> |
| error_prepend_string | <i>no value</i> | <i>no value</i> |
| error_reporting | 22527 | 22527 |
| exit_on_timeout | Off | Off |
| expose_php | On | On |
| extension_dir | /usr/lib64/php/modules | /usr/lib64/php/modules |
| file_uploads | On | On |
| highlight.comment | #FF8000 | #FF8000 |
| highlight.default | #0000BB | #0000BB |
| highlight.html | #000000 | #000000 |
| highlight.keyword | #007700 | #007700 |
| highlight.string | #DD0000 | #DD0000 |
| html_errors | On | On |
| ignore_repeated_errors | Off | Off |
| ignore_repeated_source | Off | Off |
| ignore_user_abort | Off | Off |
| implicit_flush | Off | Off |
| include_path | ./usr/share/pear:/usr/share/php | ./usr/share/pear:/usr/share/php |
| log_errors | On | On |
| log_errors_max_len | 1024 | 1024 |
| mail.add_x_header | On | On |
| mail.force_extra_parameters | <i>no value</i> | <i>no value</i> |
| mail.log | <i>no value</i> | <i>no value</i> |
| max_execution_time | 300 | 300 |
| max_file_uploads | 20 | 20 |

| | | |
|---------------------------|--------------------------|--------------------------|
| max_input_nesting_level | 64 | 64 |
| max_input_time | 60 | 60 |
| max_input_vars | 1000 | 1000 |
| memory_limit | 128M | 128M |
| open_basedir | <i>no value</i> | <i>no value</i> |
| output_buffering | 4096 | 4096 |
| output_handler | <i>no value</i> | <i>no value</i> |
| post_max_size | 52M | 52M |
| precision | 14 | 14 |
| realpath_cache_size | 16K | 16K |
| realpath_cache_ttl | 120 | 120 |
| register_argc_argv | Off | Off |
| report_memleaks | On | On |
| report zend_debug | On | On |
| request_order | GP | GP |
| sendmail_from | <i>no value</i> | <i>no value</i> |
| sendmail_path | /usr/sbin/sendmail -t -i | /usr/sbin/sendmail -t -i |
| serialize_precision | 17 | 17 |
| short_open_tag | On | On |
| SMTP | localhost | localhost |
| smtp_port | 25 | 25 |
| sql.safe_mode | Off | Off |
| track_errors | Off | Off |
| unserialize_callback_func | <i>no value</i> | <i>no value</i> |
| upload_max_filesize | 50M | 50M |
| upload_tmp_dir | <i>no value</i> | <i>no value</i> |
| user_dir | <i>no value</i> | <i>no value</i> |
| user_ini.cache_ttl | 300 | 300 |
| user_ini.filename | .user.ini | .user.ini |
| variables_order | GPCS | GPCS |
| xmlrpc_error_number | 0 | 0 |
| xmlrpc_errors | Off | Off |
| zend.detect_unicode | On | On |
| zend.enable_gc | On | On |
| zend.multibyte | Off | Off |
| zend.script_encoding | <i>no value</i> | <i>no value</i> |

ctype

| | |
|-----------------|---------|
| ctype functions | enabled |
|-----------------|---------|

curl

| | |
|------------------|---------|
| cURL support | enabled |
| cURL Information | 7.29.0 |
| Age | 3 |
| Features | |
| AsynchDNS | Yes |

| | |
|-----------------------|---|
| Debug | No |
| GSS-Negotiate | Yes |
| IDN | Yes |
| IPv6 | Yes |
| Largefile | Yes |
| NTLM | Yes |
| SPNEGO | No |
| SSL | Yes |
| SSPI | No |
| krb4 | No |
| libz | Yes |
| CharConv | No |
| Protocols | dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, scp, sftp, smtp, smtps, telnet, tftp |
| Host | x86_64-redhat-linux-gnu |
| SSL Version | NSS/3.15.4 |
| ZLib Version | 1.2.7 |
| libSSH Version | libssh2/1.4.3 |

date

| | |
|--|------------------|
| date/time support | enabled |
| "Olson" Timezone Database Version | 0.system |
| Timezone Database | internal |
| Default timezone | Asia/Novosibirsk |

| Directive | Local Value | Master Value |
|-------------------------------|--------------------|---------------------|
| date.default_latitude | 31.7667 | 31.7667 |
| date.default_longitude | 35.2333 | 35.2333 |
| date.sunrise_zenith | 90.583333 | 90.583333 |
| date.sunset_zenith | 90.583333 | 90.583333 |
| date.timezone | Asia/Novosibirsk | Asia/Novosibirsk |

dom

| | |
|----------------------------|----------|
| DOM/XML | enabled |
| DOM/XML API Version | 20031129 |
| libxml Version | 2.9.1 |
| HTML Support | enabled |
| XPath Support | enabled |
| XPointer Support | enabled |
| Schema Support | enabled |
| RelaxNG Support | enabled |

ereg

| | |
|----------------------|-------------------------|
| Regex Library | Bundled library enabled |
|----------------------|-------------------------|

exif

| | |
|-------------------------------|------------|
| EXIF Support | enabled |
| EXIF Version | 1.4 \$Id\$ |
| Supported EXIF Version | 0220 |
| Supported filetypes | JPEG,TIFF |

| Directive | Local Value | Master Value |
|-------------------------------------|-----------------|-----------------|
| exif.decode_jis_intel | JIS | JIS |
| exif.decode_jis_motorola | JIS | JIS |
| exif.decode_unicode_intel | UCS-2LE | UCS-2LE |
| exif.decode_unicode_motorola | UCS-2BE | UCS-2BE |
| exif.encode_jis | <i>no value</i> | <i>no value</i> |
| exif.encode_unicode | ISO-8859-15 | ISO-8859-15 |

fileinfo

| | |
|-------------------------|---------|
| fileinfo support | enabled |
| version | 1.0.5 |

filter

| | |
|---------------------------------------|---|
| Input Validation and Filtering | enabled |
| Revision | \$Id: 2aa8dd57d9c0c655cd45e6e5872bb95fa5ad76cf \$ |

| Directive | Local Value | Master Value |
|-----------------------------|-----------------|-----------------|
| filter.default | unsafe_raw | unsafe_raw |
| filter.default_flags | <i>no value</i> | <i>no value</i> |

ftp

| | |
|--------------------|---------|
| FTP support | enabled |
|--------------------|---------|

gd

| | |
|---------------------------|----------------------------|
| GD Support | enabled |
| GD Version | bundled (2.1.0 compatible) |
| FreeType Support | enabled |
| FreeType Linkage | with freetype |
| FreeType Version | 2.4.11 |
| T1Lib Support | enabled |
| GIF Read Support | enabled |
| GIF Create Support | enabled |
| JPEG Support | enabled |
| libJPEG Version | 6b |
| PNG Support | enabled |
| libPNG Version | 1.5.13 |
| WBMP Support | enabled |

| | |
|-----------------------|---------|
| XPM Support | enabled |
| libXpm Version | 30411 |
| XBM Support | enabled |

| Directive | Local Value | Master Value |
|-------------------------------|-------------|--------------|
| gd.jpeg_ignore_warning | 0 | 0 |

gettext

| | |
|------------------------|---------|
| GetText Support | enabled |
|------------------------|---------|

gmp

| | |
|--------------------|---------|
| gmp support | enabled |
| GMP version | 6.0.0 |

hash

| | |
|------------------------|--|
| hash support | enabled |
| Hashing Engines | md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5 |

iconv

| | |
|------------------------------|---------|
| iconv support | enabled |
| iconv implementation | glibc |
| iconv library version | 2.17 |

| Directive | Local Value | Master Value |
|--------------------------------|-------------|--------------|
| iconv.input_encoding | ISO-8859-1 | ISO-8859-1 |
| iconv.internal_encoding | ISO-8859-1 | ISO-8859-1 |
| iconv.output_encoding | ISO-8859-1 | ISO-8859-1 |

json

| | |
|---------------------|---------|
| json support | enabled |
| json version | 1.2.1 |

libxml

| | |
|--------------------------------|---------|
| libXML support | active |
| libXML Compiled Version | 2.9.1 |
| libXML Loaded Version | 20901 |
| libXML streams | enabled |

mbstring

| | |
|--|----------|
| Multibyte Support | enabled |
| Multibyte string engine | libmbfl |
| HTTP input encoding translation | disabled |
| libmbfl version | 1.3.2 |

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

| | |
|--|---------|
| Multibyte (japanese) regex support | enabled |
| Multibyte regex (oniguruma) backtrack check | On |
| Multibyte regex (oniguruma) version | 4.7.1 |

| Directive | Local Value | Master Value |
|--|-------------------------------|-------------------------------|
| mbstring.detect_order | <i>no value</i> | <i>no value</i> |
| mbstring.encoding_translation | Off | Off |
| mbstring.func_overload | 0 | 0 |
| mbstring.http_input | pass | pass |
| mbstring.http_output | pass | pass |
| mbstring.http_output_conv_mimetypes | ^(text/application/xhtml+xml) | ^(text/application/xhtml+xml) |
| mbstring.internal_encoding | <i>no value</i> | <i>no value</i> |
| mbstring.language | neutral | neutral |
| mbstring.strict_detection | Off | Off |
| mbstring.substitute_character | <i>no value</i> | <i>no value</i> |

memcache

| | |
|-------------------------|-----------------------|
| memcache support | enabled |
| Version | 3.0.8 |
| Revision | \$Revision: 329835 \$ |

| Directive | Local Value | Master Value |
|---------------------------------------|-------------|--------------|
| memcache.allow_failover | 1 | 1 |
| memcache.chunk_size | 32768 | 32768 |
| memcache.compress_threshold | 20000 | 20000 |
| memcache.default_port | 11211 | 11211 |
| memcache.hash_function | crc32 | crc32 |
| memcache.hash_strategy | consistent | consistent |
| memcache.lock_timeout | 15 | 15 |
| memcache.max_failover_attempts | 20 | 20 |
| memcache.protocol | ascii | ascii |
| memcache.redundancy | 1 | 1 |
| memcache.session_redundancy | 2 | 2 |

mhash

| | |
|--------------------------|------------------|
| MHASH support | Enabled |
| MHASH API Version | Emulated Support |

mysql

| MySQL Support | enabled |
|-------------------------|----------------------------------|
| Active Persistent Links | 1 |
| Active Links | 1 |
| Client API version | 5.5.41-MariaDB |
| MYSQL_MODULE_TYPE | external |
| MYSQL_SOCKET | /var/lib/mysql/mysql.sock |
| MYSQL_INCLUDE | -I/usr/include/mysql |
| MYSQL_LIBS | -L/usr/lib64/mysql -lmysqlclient |

| Directive | Local Value | Master Value |
|--------------------------|---------------------------|---------------------------|
| mysql.allow_local_infile | On | On |
| mysql.allow_persistent | On | On |
| mysql.connect_timeout | 60 | 60 |
| mysql.default_host | <i>no value</i> | <i>no value</i> |
| mysql.default_password | <i>no value</i> | <i>no value</i> |
| mysql.default_port | <i>no value</i> | <i>no value</i> |
| mysql.default_socket | /var/lib/mysql/mysql.sock | /var/lib/mysql/mysql.sock |
| mysql.default_user | <i>no value</i> | <i>no value</i> |
| mysql.max_links | Unlimited | Unlimited |
| mysql.max_persistent | Unlimited | Unlimited |
| mysql.trace_mode | Off | Off |

mysqli

| Mysqli Support | enabled |
|----------------------------|---------------------------|
| Client API library version | 5.5.41-MariaDB |
| Active Persistent Links | 0 |
| Inactive Persistent Links | 0 |
| Active Links | 0 |
| Client API header version | 5.5.37-MariaDB |
| MYSQLI_SOCKET | /var/lib/mysql/mysql.sock |

| Directive | Local Value | Master Value |
|---------------------------|-----------------|-----------------|
| mysqli.allow_local_infile | On | On |
| mysqli.allow_persistent | On | On |
| mysqli.default_host | <i>no value</i> | <i>no value</i> |
| mysqli.default_port | 3306 | 3306 |
| mysqli.default_pw | <i>no value</i> | <i>no value</i> |
| mysqli.default_socket | <i>no value</i> | <i>no value</i> |
| mysqli.default_user | <i>no value</i> | <i>no value</i> |
| mysqli.max_links | Unlimited | Unlimited |
| mysqli.max_persistent | Unlimited | Unlimited |
| mysqli.reconnect | Off | Off |

openssl

| | |
|-----------------|---------|
| OpenSSL support | enabled |
|-----------------|---------|

| | |
|--------------------------------|---------------------------------|
| OpenSSL Library Version | OpenSSL 1.0.1e-fips 11 Feb 2013 |
| OpenSSL Header Version | OpenSSL 1.0.1e-fips 11 Feb 2013 |

pcre

| | |
|---|-----------------|
| PCRE (Perl Compatible Regular Expressions) Support | enabled |
| PCRE Library Version | 8.32 2012-11-30 |

| Directive | Local Value | Master Value |
|-----------------------------|-------------|--------------|
| pcre.backtrack_limit | 1000000 | 1000000 |
| pcre.recursion_limit | 100000 | 100000 |

PDO

| | |
|--------------------|---------------|
| PDO support | enabled |
| PDO drivers | mysql, sqlite |

pdo_mysql

| | |
|-----------------------------|----------------|
| PDO Driver for MySQL | enabled |
| Client API version | 5.5.41-MariaDB |

| Directive | Local Value | Master Value |
|---------------------------------|---------------------------|---------------------------|
| pdo_mysql.default_socket | /var/lib/mysql/mysql.sock | /var/lib/mysql/mysql.sock |

pdo_sqlite

| | |
|----------------------------------|---------|
| PDO Driver for SQLite 3.x | enabled |
| SQLite Library | 3.7.17 |

Phar

| | |
|----------------------------------|---|
| Phar: PHP Archive support | enabled |
| Phar EXT version | 2.0.1 |
| Phar API version | 1.1.1 |
| SVN revision | \$Id: c5042cc34acebcc0926625b57dff03deebbe6472 \$ |
| Phar-based phar archives | enabled |
| Tar-based phar archives | enabled |
| ZIP-based phar archives | enabled |
| gzip compression | enabled |
| bzip2 compression | enabled |
| Native OpenSSL support | enabled |

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

| Directive | Local Value | Master Value |
|-----------|-------------|--------------|
|-----------|-------------|--------------|

| | | |
|-------------------|----------|----------|
| phar.cache_list | no value | no value |
| phar.readonly | On | On |
| phar.require_hash | On | On |

posix

| | |
|----------|---|
| Revision | \$Id: 32db6705f5b617967a546be3114e178a4138c1ca \$ |
|----------|---|

Reflection

| | |
|------------|---|
| Reflection | enabled |
| Version | \$Id: 6c4d8062369898a397e4b128348042f5c01b4427 \$ |

session

| | |
|--------------------------------|---------------------|
| Session Support | enabled |
| Registered save handlers | files user memcache |
| Registered serializer handlers | php php_binary wddx |

| Directive | Local Value | Master Value |
|----------------------------------|-----------------------------|-----------------------------|
| session.auto_start | Off | Off |
| session.cache_expire | 180 | 180 |
| session.cache_limiter | nocache | nocache |
| session.cookie_domain | no value | no value |
| session.cookie_httponly | Off | Off |
| session.cookie_lifetime | 0 | 0 |
| session.cookie_path | / | / |
| session.cookie_secure | Off | Off |
| session.entropy_file | /dev/urandom | /dev/urandom |
| session.entropy_length | 32 | 32 |
| session.gc_divisor | 1000 | 1000 |
| session.gc_maxlifetime | 1440 | 1440 |
| session.gc_probability | 1 | 1 |
| session.hash_bits_per_character | 5 | 5 |
| session.hash_function | 0 | 0 |
| session.name | PHPSESSID | PHPSESSID |
| session.referer_check | no value | no value |
| session.save_handler | files | files |
| session.save_path | /var/lib/php/session | no value |
| session.serialize_handler | php | php |
| session.upload_progress.cleanup | On | On |
| session.upload_progress.enabled | On | On |
| session.upload_progress.freq | 1% | 1% |
| session.upload_progress.min_freq | 1 | 1 |
| session.upload_progress.name | PHP_SESSION_UPLOAD_PROGRESS | PHP_SESSION_UPLOAD_PROGRESS |
| session.upload_progress.prefix | upload_progress_ | upload_progress_ |
| session.use_cookies | On | On |
| session.use_only_cookies | On | On |
| session.use_trans_sid | 0 | 0 |

shmop

| | |
|----------------------|---------|
| shmop support | enabled |
|----------------------|---------|

SimpleXML

| | |
|--------------------------|---|
| Simplexml support | enabled |
| Revision | \$Id: 692516840b2d7d6e7aedb0bedded1f53b764a99f \$ |
| Schema support | enabled |

sockets

| | |
|------------------------|---------|
| Sockets Support | enabled |
|------------------------|---------|

SPL

| | |
|--------------------|---|
| SPL support | enabled |
| Interfaces | Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject |
| Classes | AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException |

sqlite3

| | |
|-------------------------------|---------|
| SQLite3 support | enabled |
| SQLite3 module version | 0.7 |
| SQLite Library | 3.7.17 |

| Directive | Local Value | Master Value |
|-----------------------|-------------|--------------|
| sqlite3.extension_dir | no value | no value |

standard

| | |
|--------------------------------|--------------------------|
| Dynamic Library Support | enabled |
| Path to sendmail | /usr/sbin/sendmail -t -i |

| Directive | Local Value | Master Value |
|-----------------|-------------|--------------|
| assert.active | 1 | 1 |
| assert.bail | 0 | 0 |
| assert.callback | no value | no value |

| | | |
|---------------------------------|---|---|
| assert.quiet_eval | 0 | 0 |
| assert.warning | 1 | 1 |
| auto_detect_line_endings | 0 | 0 |
| default_socket_timeout | 60 | 60 |
| from | <i>no value</i> | <i>no value</i> |
| url_rewriter.tags | a=href,area=href,frame=src,input=src,form=fakeentry | a=href,area=href,frame=src,input=src,form=fakeentry |
| user_agent | <i>no value</i> | <i>no value</i> |

sysvmsg

| | |
|------------------------|---|
| sysvmsg support | enabled |
| Revision | \$Id: e268047b695fe9a43cdf415c429729252347becd \$ |

tokenizer

| | |
|--------------------------|---------|
| Tokenizer Support | enabled |
|--------------------------|---------|

wddx

| | |
|--------------------------------|---------|
| WDDX Support | enabled |
| WDDX Session Serializer | enabled |

XCache

| | |
|-----------------------|-------|
| XCache Version | 3.2.0 |
| Modules Built | acher |

| Directive | Local Value | Master Value |
|----------------------------------|-----------------|-----------------|
| xcache.coredump_directory | <i>no value</i> | <i>no value</i> |
| xcache.disable_on_crash | Off | Off |
| xcache.experimental | Off | Off |
| xcache.test | Off | Off |

XCache Cacher

| | |
|------------------------------|---|
| XCache Cacher Module | enabled |
| Readonly Protection | disabled |
| Page Request Time | 2015-05-26 12:15:01 |
| Cache Init Time | 2015-05-26 11:53:58 |
| Cache Instance Id | 10574 |
| Opcode Cache | enabled, 33,554,432 bytes, 1 split(s), with 8192 slots each |
| Variable Cache | disabled |
| Shared Memory Schemes | mmap |

| Directive | Local Value | Master Value |
|---------------------------------|-------------|--------------|
| xcache.admin.enable_auth | On | On |
| xcache.allocator | bestfit | bestfit |

| | | |
|-----------------------------------|-----------------|-----------------|
| xcache.cacher | On | On |
| xcache.count | 1 | 1 |
| xcache.gc_interval | 300 | 300 |
| xcache.mmap_path | /dev/zero | /dev/zero |
| xcache.readonly_protection | Off | Off |
| xcache.shm_scheme | mmap | mmap |
| xcache.size | 32M | 32M |
| xcache.slots | 8K | 8K |
| xcache.stat | On | On |
| xcache.ttl | 3600 | 3600 |
| xcache.var_allocator | bestfit | bestfit |
| xcache.var_count | 1 | 1 |
| xcache.var_gc_interval | 300 | 300 |
| xcache.var_maxttl | 0 | 0 |
| xcache.var_namespace | <i>no value</i> | <i>no value</i> |
| xcache.var_namespace_mode | 0 | 0 |
| xcache.var_size | 0M | 0M |
| xcache.var_slots | 8K | 8K |
| xcache.var_ttl | 0 | 0 |

xml

| | |
|------------------------------|--------|
| XML Support | active |
| XML Namespace Support | active |
| libxml2 Version | 2.9.1 |

xmlreader

| | |
|------------------|---------|
| XMLReader | enabled |
|------------------|---------|

xmlwriter

| | |
|------------------|---------|
| XMLWriter | enabled |
|------------------|---------|

xsl

| | |
|--|---------|
| XSL | enabled |
| libxslt Version | 1.1.28 |
| libxslt compiled against libxml Version | 2.9.1 |
| EXSLT | enabled |
| libexslt Version | 1.1.28 |

zip

| | |
|--------------------------|---|
| Zip | enabled |
| Extension Version | \$Id: 0c033d4e4613d577409950ed7bf8da4b68286d15 \$ |
| Zip version | 1.11.0 |

| | |
|---------------------------------|--------|
| Compiled against libzip version | 0.10.1 |
|---------------------------------|--------|

zlib

| ZLib Support | enabled |
|------------------|----------------------------|
| Stream Wrapper | compress.zlib:// |
| Stream Filter | zlib.inflate, zlib.deflate |
| Compiled Version | 1.2.7 |
| Linked Version | 1.2.7 |

| Directive | Local Value | Master Value |
|-------------------------------|-----------------|-----------------|
| zlib.output_compression | Off | Off |
| zlib.output_compression_level | -1 | -1 |
| zlib.output_handler | <i>no value</i> | <i>no value</i> |

Additional Modules

| Module Name |
|-------------|
| sysvsem |
| sysvshm |

Environment

| Variable | Value |
|---------------|---|
| PATH | /usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin |
| LANG | C |
| NOTIFY_SOCKET | @/org/freedesktop/systemd1/notify |

PHP Variables

| Variable | Value |
|---------------------------------|--|
| _COOKIE["bx-attr-hidden"] | 1 |
| _COOKIE["SLnewses"] | 1 |
| _COOKIE["skin"] | alt |
| _COOKIE["1"] | <i>no value</i> |
| _COOKIE["WPTLNG"] | 1 |
| _COOKIE["PHPSESSID"] | m5u86hn6i68s2lbulv15i7p6 |
| _COOKIE["memberSession"] | mQLs6QzPsPr+x6b5ALFCeHU=ygxfUF9i |
| _COOKIE["memberID"] | 1 |
| _COOKIE["memberPassword"] | c027ba2c60e04e27a0d13b18e80f06b2ffb8307b |
| _COOKIE["lang"] | en |
| _SERVER["UNIQUE_ID"] | VWQPZVXHpi8L76adAFdr4wAAAAc |
| _SERVER["HTTP_HOST"] | kspn-grom.ru |
| _SERVER["HTTP_USER_AGENT"] | Mozilla/5.0 (Windows NT 6.1; WOW64; rv:38.0) Gecko/20100101 Firefox/38.0 |
| _SERVER["HTTP_ACCEPT"] | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 |
| _SERVER["HTTP_ACCEPT_LANGUAGE"] | ru-RU,ru;q=0.8,en-US;q=0.5,en;q=0.3 |
| _SERVER["HTTP_ACCEPT_ENCODING"] | gzip, deflate |

| | |
|----------------------------------|---|
| _SERVER["HTTP_COOKIE"] | bx-attr-hidden=1; SLnewses=1; skin=alt; 1; WPTLNG=1; PHPSESSID=m5u86hn6i68s2lbullvv15i7p6; memberSession=mQLs6QzPsPr%2Bx6b5ALFCeHU%3DygfxUF9i; memberID=1; memberPassword=c027ba2c60e04e27a0d13b18e80f06b2ffb8307b; lang=en |
| _SERVER["HTTP_CONNECTION"] | keep-alive |
| _SERVER["PATH"] | /usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin |
| _SERVER["SERVER_SIGNATURE"] | <i>no value</i> |
| _SERVER["SERVER_SOFTWARE"] | Apache/2.4.6 (CentOS) PHP/5.4.16 |
| _SERVER["SERVER_NAME"] | kspn-grom.ru |
| _SERVER["SERVER_ADDR"] | 192.168.151.4 |
| _SERVER["SERVER_PORT"] | 80 |
| _SERVER["REMOTE_ADDR"] | 37.192.201.162 |
| _SERVER["DOCUMENT_ROOT"] | /var/www/html |
| _SERVER["REQUEST_SCHEME"] | http |
| _SERVER["CONTEXT_PREFIX"] | <i>no value</i> |
| _SERVER["CONTEXT_DOCUMENT_ROOT"] | /var/www/html |
| _SERVER["SERVER_ADMIN"] | root@localhost |
| _SERVER["SCRIPT_FILENAME"] | /var/www/html/info.php |
| _SERVER["REMOTE_PORT"] | 23776 |
| _SERVER["GATEWAY_INTERFACE"] | CGI/1.1 |
| _SERVER["SERVER_PROTOCOL"] | HTTP/1.1 |
| _SERVER["REQUEST_METHOD"] | GET |
| _SERVER["QUERY_STRING"] | <i>no value</i> |
| _SERVER["REQUEST_URI"] | /info.php |
| _SERVER["SCRIPT_NAME"] | /info.php |
| _SERVER["PHP_SELF"] | /info.php |
| _SERVER["REQUEST_TIME_FLOAT"] | 1432620901.838 |
| _SERVER["REQUEST_TIME"] | 1432620901 |

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.